



# SCAMAX® Sorter

Scan & Sort with upto 5 sorting trays



Production Scanners made in Germany



## More sorting trays. More sorting criteria.

Weather separation sheets, cover sheets or specific document types: With the Scamax Sorter, you can sort documents into upto five output trays - at full scanning speed and based on all common events. Mixed stacks are digitised and sorted in just one pass.

The sorting criteria range from patch code and barcode, document length and double sheet detection to database (CSV) and integrity detection. Depending on the scanning software used, content-based sorting is also possible.

As a hardware add-on, the SCAMAX® sorter expands all document scanners in the InoTec SCAMAX® 3x1 and 6x1 series to three or five output trays- making them the desktop devices with the highest sorting capacity on the market. All this with minimum space requirements and maximum cost efficiency. Arrange a trial period today.

### General Technical Specification

Execution (depending on model)	Two resp. four front output trays, in addition to rear straight paper throughput
Throughput	Full throughput, independent of event: SCAMAX 6x1: max. 210 pages/minute SCAMAX 3x1: max. 120 pages/minute
Sorting Events (freely logically linkable as per AND/OR)	Patchcode, Barcode 1D & 2D (2/5 interleaved, Code39, Code 128, Datamatrix, QR-Code), Document length, Counter/Indexing, Document integrity detection, Database (CSV file)

### Paper Processing/Handling

General Document Output	Adjustable paper stop and asymmetrically adjustable paper guides
Max. Stack Height Document Output (for 80 g/m <sup>2</sup> )	Bottom output tray: 100mm (approx. 700 sheets) Upper output tray: 75mm (approx. 500 sheets)
Max. Paper Format Document Output	app. DIN A3 (317.5mm width, 420mm length)

Max. Admission Height	Max. 1 mm
Paper Weight	30 g/m <sup>2</sup> to 250 g/m <sup>2</sup>

### Technical Data 6x1

Height	for 2 output trays: 715 mm for 4 output trays: 935 mm
Weight Incl. Scanner (without additional Options)	for 2 output trays: 77.0 kg for 4 output trays: 87.8 kg

### Technical Data 3x1

Height	for 2 output trays: 590 mm for 4 output trays: 810 mm
Weight Incl. Scanner (without additional Options)	for 2 output trays: 62.0 kg for 4 output trays: 73.0 kg

Sorting at full scanning speed

By patch code, barcode, length,  
database and much more

Available as double or quadruple

For all SCAMAX® 3x1 and  
6x1 document scanners

Fully accessible paper path

Can be installed on site



## Get in touch



(024) 7625 4955




[www.genus.uk](http://www.genus.uk)



[info@genus.uk](mailto:info@genus.uk)



Hammond Close, Attleborough Fields,  
Industrial Est, Nuneaton, Warwickshire,  
CV11 6RY, UK



- Digitisation Solutions
- Scanning & Capture Services
- Document, Book & Microfilm Scanners



- Microfilm Solutions
- Fujifilm
- Conversion Services
- Conversion Hardware



- Technical Support
- Hardware Support
- Software Support



- Content Management
- Electronic Document Management
- Digital Asset Management



- Print Solutions
- Design & Print
- Web